

Appendix G Native Grassland Species List

1. Native Grass Mix – Summer Mix
2. Native Grass Mix – Winter Mix

Native Grass Mix – Summer Mix (*)

Botanical Name	Common Name	Form	% Mix	Rate per Single Genus (floret) kg/ha	Kg/ha
<i>Austrodanthonia bipartita</i>	Wallaby Grass	Floret (**)	3	10	0.30
<i>Austrodanthonia caespitosa</i>	Common Wallaby Grass	floret	3	10	0.30
<i>Austrodanthonia carphoides</i>	Short Wallaby Grass	floret	2	10	0.20
<i>Austrodanthonia tenuior</i>	Wallaby Grass	floret	2	10	0.20
<i>Austrostipa bigeniculata</i>	Tall Spear Grass	floret	7	5	0.35
<i>Austrostipa scabra</i> var. <i>falcata</i>	Slender Spear Grass	floret	9	5	0.45
<i>Bothriochloa macra</i>	Red Grass	floret	20	10	2.00
<i>Eragrostis brownii</i>	Brown's Lovegrass	floret	20	3	0.60
<i>Microlaena stipoides</i>	Weeping Grass	floret	10	30	3.00
<i>Poa labillardieri</i> var. <i>labillardieri</i>	Tussock	floret	2	3	0.06
<i>Poa sieberiana</i>	Poa Tussock / Snowgrass	floret	2	3	0.06
<i>Themada australis</i>	Kangaroo Grass	floret	20	50	10.00
				Total	17.52

(*) September –April

(**) Floret to be quality floret with not too much contaminant / other associated plant structures / appendiges

Native Grass Mix – Winter Mix (*)

Botanical Name	Common Name	Form	% Mix	Rate per Single Genus (floret) kg/ha	Kg/ha
<i>Austrodanthonia bipartita</i>	Wallaby Grass	Floret (**)	6	10	0.60
<i>Austrodanthonia caespitosa</i>	Common Wallaby Grass	floret	6	10	0.60
<i>Austrodanthonia carphoides</i>	Short Wallaby Grass	floret	4	10	0.40
<i>Austrodanthonia tenuior</i>	Wallaby Grass	floret	4	10	0.40
<i>Austrostipa bigeniculata</i>	Tall Spear Grass	floret	9	5	0.45
<i>Austrostipa scabra</i> var. <i>falcata</i>	Slender Spear Grass	floret	11	5	0.55
<i>Bothriochloa macra</i>	Red Grass	floret	10	10	1.00
<i>Eragrostis brownii</i>	Brown's Lovegrass	floret	10	3	0.30
<i>Microlaena stipoides</i>	Weeping Grass	floret	20	30	6.00
<i>Poa labillardieri</i> var. <i>labillardieri</i>	Tussock	floret	4	3	0.12
<i>Poa sieberiana</i>	Poa Tussock / Snowgrass	floret	4	3	0.12
<i>Themada australis</i>	Kangaroo Grass	floret	12	50	6.00
				Total	16.54

(*) April -September

(**) Floret to be quality floret with not too much contaminant / other associated plant structures / appendages