


Material Change of Use - Single Residential (All Lots) Development Permit



EDEN'S CROSSING
Plan of Development
Allotment Layout
Stage 25

PLAN REF: 132030-121D
 DATE: 07 September 2020
 CLIENT: PEET
 CHECKED BY: MD

Legend

- Site Boundary
- Proposed Stage Boundary
- Entry Statement
- Area Subject to Subdivision
- Proposed LK
- Some Park

Allotment Details

- Preferred Private Open Space Location
- Maximum Building Location Envelope
- Optional Built to Boundary Wall
- Preferred Garage Location

NOTE:
 All lot numbers, dimensions and areas are as shown on the plan and are subject to survey and Council approval. Dimensions have been rounded to the nearest 50mm.
 Areas have been rounded down to the nearest 50mm.
 The boundaries shown on the plan should not be used for any building or engineering design.
Source Information:
 Survey: 1:5000 Topographic Survey, 1:10000 Aerial Photographs, 1:50000 Topographic Information, DC38, Contours, 0.5m interval

Development Control Notes

General

- All development is to be undertaken in accordance with the Development Approval.
- Building setbacks and built-to-boundary wall locations shown are subject to future proposed easements and/or underground services.
- The maximum height of buildings shall not exceed 8.5m and two (2) storeys, except when existing grades exceed 15% where the building may be up to 10m and 2 storeys in height.
- The maximum site coverage for each lot is to be in accordance with the Plan of Development Table.

Setbacks

- Setbacks are as per the Plan of Development Table unless otherwise specified.
- Setbacks are measured to the wall.
- First floor setbacks must not exceed the minimum ground floor setbacks.
- In the case of corner allotments an additional setback from the street corner is applicable. The setback applies to any building or structure on the lot.
- In the case of Villa Premium, Villa Corner Lots the setback is measured as the line that joins the points on the front and side street boundaries of the lot that are located 6m back from the point of intersection of these two boundaries.
- In the case of Courtyard, Premium Courtyard and Duplex Corner Lots the setback is measured as the line that joins the points on the front and side street boundaries of the lot that are located 9m back from the point of intersection of these two boundaries.
- Where built to boundary walls are not adopted side setbacks apply in accordance with the Plan of Development Table.
- Built to Boundary walls are to have a maximum length of 9 metres and a maximum height of 4.5 metres.
- Eaves cannot encroach (other than where buildings are built to boundary) closer than 450mm to the lot boundary.

Outdoor Living Space

- Private outdoor living space must be provided for each dwelling, not less than 20m² in area with a minimum dimension of 3.0m.

Buildings facing a park or more than one street

- Dwellings on lots with more than one frontage to a public right of way (including a road, bikeways, public footpath or the like) must address all public frontages.

Parking and Driveways

- Garages must not project forward of the main facade (front wall) of the dwelling.
- Unless otherwise stated, the garage floor or parking structure shall occupy no more than 50% of the street frontage for all lots up to 450m² in area, provided that the garage or parking structure is not located forward of the main building line of the dwelling.

Driveways:

- A maximum of one driveway per dwelling is permitted.
- The maximum width of a driveway where crossing the verge:
 - shall be 3.5m for single garages, and
 - 4.8m for double garages.

Definitions

Site Cover - the total area of the roof of the dwelling expressed as a percentage of the lot area, but which excludes eave overhangs.



| Plan of Development Table | Villa Allotments | | Premium Villa Allotments | | Courtyard Allotments | | Premium Courtyard Allotments | |
|--|---|-------------|--------------------------|-------------|----------------------|-------------|------------------------------|-------------|
| | Ground Floor | First Floor | Ground Floor | First Floor | Ground Floor | First Floor | Ground Floor | First Floor |
| Front Setback | 3.0m | 3.0m | 3.0m | 3.0m | 3.0m | 3.0m | 3.0m | 3.0m |
| Living | 4.5m* | n/a | 4.9m* | n/a | 4.9m* | n/a | 4.9m* | n/a |
| Garage | 1.5m | 1.5m | 1.5m | 1.5m | 1.5m | 1.5m | 1.5m | 1.5m |
| Corner Allotments | 0.9m | 1.0m | 0.9m | 1.0m | 0.9m | 1.0m | 0.9m | 1.0m |
| Rear Setback | 0.0m | 1.0m | 0.0m | 1.0m | 0.0m | 1.0m | 0.0m | 1.0m |
| Side - General Lots | Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Built to Boundary | 0.9m | 0.9m | 1.0m | 1.0m | 1.0m | 1.0m | 1.0m | 1.5m |
| Non Built to Boundary | Preferred Garages are to be located along the built to boundary wall or (if no BTB wall on Western or Southern boundary or Low Side of the Allotment. | | | | | | | |
| Garage Location | 2 car parking spaces with 1 space to be covered and enclosed Single, tandem or double garage acceptable | | | | | | | |
| On site parking requirements (minimum) | 60% for Lots 600m ² or less; 50% for Lots greater than 600m ² | | | | | | | |
| Site Coverage (maximum) | 60% for Lots 600m ² or less; 50% for Lots greater than 600m ² | | | | | | | |

Note: * Garage or Carport Door